



Series ES 800 Limit Switch Assembly



Product Bulletin ES-0001

The ES 800 Series of industrial switch-boxes are designed for direct mounting to VDE/VDI 3845 configured pneumatic actuators in general purpose applications.

The housing is secured in place by a 5mm pitch male thread screwing into the base and an external tamper-proof cover locking screw is provided.

A wide variety of control options are all terminated at a numbered terminal strip for which a circuit diagram is affixed to the inside cover.



Cam positioning is effected using a spring loaded spline lock assembly permitting simple and positive adjustment allowing the switch boxes to be mounted in any orientation without adverse effect. Two conduit entries are provided as standard and the enclosure design permits ready access for cable termination.

Specifications:
Enclosure: IP67
Acetal co-polymer molded.
2 SPDT 15A
Mechanical limit switches.
Two ½" conduit connections.
Black/Yellow high visible position indicator.



Distributed By:
Top Line Process Equipment
21 Valley Hunt Drive
Lewis Run, PA 16738
1-800-458-6095

<http://www.toplineonline.com/>



ES-800 Dimensional/ Ordering Information

Ordering Information/Options

- ES-800: 2 SPDT 15A mechanical switches
- ES-801: 2 DPDT 15A mechanical switches
- ES-802: 2 SPDT proximity switches
- ES-802: EExla NAMUR proximity switches.

The standard NAMUR bracket, included with every switch box, mounts directly to Radius actuator sizes 005 through 040. Order adapter part ES-MKT-1 for adaptations to sizes 060 through 370.



Distributed By:
Top Line Process Equipment
 21 Valley Hunt Drive
 Lewis Run, PA 16738
 1-800-458-6095

<http://www.toplineonline.com/>

